


THYROID

Therapist : Col. M k Savant
Patient : Mrs. Jameera Elijah Ashtamkar
Age : 58 yrs.
Address : C/4/92 DGQA Staff quarters, Rifle range
road, Ghatkopar (West) Mumbai
Phone.no : 983338957
Past History : Suffering from thyroid (1996)
Symptoms : Joint pain, Constipation, Weakness, Weight gain, Swelling around thyroid glands.
15.11.2018 TSH levels at 75.60
On medications from 1996
Treatment : NCH (9) - 3, 6, 0 ↑ 4, 5, 9 ↓
15.11.2018
Result : 1. Relief from most symptoms
24.11.2018 2. TSH level 53.71
01.12.2018 1. TSH level 0.93
All reports attached.



L27 - DR. S. I. SINGH
 DR S SINGH, MILIND NAGAR, ASALFA VILLAGE
 ROAD, NEAR HIMALAYA SOC. GHATKOPAR
 (W)
 MUMBAI

Name	: Mrs. JEMEERA ELIJAH	Collected	: 15/11/2018 7:12:00PM
Lab No.	: 256292426	Received	: 15/11/2018 7:14:00PM
Age	: 58 Years	Reported	: 15/11/2018 8:18:17PM
Gender	: Female	Report Status	: Final
A/c Status	: P	Ref By	: SELF


Test Name	Results	Units	Bio. Ref. Interval
THYROID PROFILE, TOTAL, SERUM (CLIA)			
T3, Total	0.42	ng/mL	0.60 - 1.81
T4, Total	2.60	ug/dL	5.01 - 12.45
TSH	75.60	uIU/mL	0.35 - 5.50

Note

1. TSH levels are subject to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 pm . The variation is of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
2. Recommended test for T3 and T4 is unbound fraction or free levels as it is metabolically active.
3. Physiological rise in Total T3 / T4 levels is seen in pregnancy and in patients on steroid therapy.

Clinical Use

- Primary Hypothyroidism
- Hyperthyroidism
- Hypothalamic - Pituitary hypothyroidism
- Inappropriate TSH secretion
- Nonthyroidal illness
- Autoimmune thyroid disease
- Pregnancy associated thyroid disorders
- Thyroid dysfunction in infancy and early childhood


 Dr Arshad Khan Pathan
 MBBS, MD (PATH)
 Chief of Lab

-----End of report-----

27 - DR. S. I. SINGH
DR S SINGH, MILIND NAGAR, ASALFA VILLAGE
ROAD, NEAR HIMALAYA SOC. GHATKOPAR
(W)
MUMBAI

Name	: Mrs. JEMEERA ELIJAH	Collected	: 1/12/2018 4:47:00PM
Lab No.	: 249246964	Age: 58 Years	Gender: Female
A/c Status	: P	Ref By : Dr. DECISION LAB	Report Status : Final
		Received	: 1/12/2018 4:48:58PM
		Reported	: 1/12/2018 7:08:20PM


Test Name	Results	Units	Bio. Ref. Interval
THYROID PROFILE,TOTAL, SERUM (CLIA)			
T3, Total	1.35	ng/mL	0.60 - 1.81
T4, Total	9.30	ug/dL	5.01 - 12.45
TSH	0.93	uIU/mL	0.35 - 5.50

Note

1. TSH levels are subject to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 pm . The variation is of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
2. Recommended test for T3 and T4 is unbound fraction or free levels as it is metabolically active.
3. Physiological rise in Total T3 / T4 levels is seen in pregnancy and in patients on steroid therapy.

Clinical Use

- Primary Hypothyroidism
- Hyperthyroidism
- Hypothalamic - Pituitary hypothyroidism
- Inappropriate TSH secretion
- Nonthyroidal illness
- Autoimmune thyroid disease
- Pregnancy associated thyroid disorders
- Thyroid dysfunction in infancy and early childhood


Dr Arshad Khan Pathan
MBBS, MD (PATH)
Chief of Lab

-----End of report-----

DR. S. I. SINGH
 S SINGH, MILIND NAGAR, ASALFA VILLAGE
 AD, NEAR HIMALAYA SOC. GHATKOPAR
 MUMBAI

Name	: Mrs. JEMEERA ELIJAH	Collected	: 24/11/2018 6:00:00PM
Lab No.	: 245507264	Age: 58 Years	Gender: Female
A/c Status	: P	Ref By: SELF	Report Status: Final
		Received	: 24/11/2018 6:01:35PM
		Reported	: 24/11/2018 7:24:31PM

Test Name	Results	Units	Bio. Ref. Interval
THYROID PROFILE, TOTAL, SERUM (CLIA)			
T3, Total	0.61	ng/mL	0.60 - 1.81
T4, Total	7.00	ug/dL	5.01 - 12.45
TSH	53.71	uIU/mL	0.35 - 5.50

Note

1. TSH levels are subject to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 pm . The variation is of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
2. Recommended test for T3 and T4 is unbound fraction or free levels as it is metabolically active.
3. Physiological rise in Total T3 / T4 levels is seen in pregnancy and in patients on steroid therapy.

Clinical Use

- Primary Hypothyroidism
- Hyperthyroidism
- Hypothalamic - Pituitary hypothyroidism
- Inappropriate TSH secretion
- Nonthyroidal illness
- Autoimmune thyroid disease
- Pregnancy associated thyroid disorders
- Thyroid dysfunction in infancy and early childhood

Arshad
 Dr Arshad Khan Pathan
 MBBS, MD (PATH)
 Chief of Lab

-----End of report-----